

Halogen Recessed Lights

Focus Fixed





Focus Oblique



Focus Oblique



Focus 35mm



Focus 35mm



Focus Square



Focus Square



Focus IP65



Solver



Smooth Fixed



Smooth Deep



Smooth Round



Smooth Square



Smooth Square



Old Smooth Round



Old Smooth Square



26

Tondo



Fixer



Squadra 1-Lamp & 2-Lamp



Asta 1-Lamp & 2-Lamp



Accent





Round 50mm











Fixed



Tiltable





















Product Information	Power	Maximum 50W	
	Input Voltage	12V	
	Lamp Holder	GX5.3 (included)	
	Lamp Type	MR16 (not included)	
	Electronic Transformer	not included	

^{*} Photometric information is determined by different lamp bulbs chosen.



MR16 (50mm) GX5.3



* Optional lamp bulbs on request
Compatible with most MR16 LED Bulbs

¹ indicates that Halogen Spot Focus is tiltable

		Color				
Article Number	Product Name	Material	Lamp Type	Input Voltage	Power	Cutout Size
PL11.0412 / PL11.0422	¹ Halogen Spot Focus 50mm	Aluminium	MR16 (50mm)	12V	Max. 50W	Ø 65mm / 75mm ¹
PL11.0413 / PL11.0423	Halogen Spot Focus 50mm	Brass	MR16 (50mm)	12V	Max. 50W	Ø 65mm / 75mm ¹
PL11.0414 / PL11.0424	Halogen Spot Focus 50mm	Chrome	MR16 (50mm)	12V	Max. 50W	Ø 65mm / 75mm ¹
PL11.0415 / PL11.0425	Halogen Spot Focus 50mm	Brushed Aluminium	MR16 (50mm)	12V	Max. 50W	Ø 65mm / 75mm ¹
PL11.0416 / PL11.0426	Halogen Spot Focus 50mm	Gold	MR16 (50mm)	12V	Max. 50W	Ø 65mm / 75mm ¹
PL11.0417 / PL11.0427	Halogen Spot Focus 50mm	Matt Chrome	MR16 (50mm)	12V	Max. 50W	Ø 65mm / 75mm ¹
PL11.0418 / PL11.0428	¹ Halogen Spot Focus 50mm	Matt Gold	MR16 (50mm)	12V	Max. 50W	Ø 65mm / 75mm ¹
PL11.0419 / PL11.0429	Halogen Spot Focus 50mm	White	MR16 (50mm)	12V	Max. 50W	Ø 65mm / 75mm ¹
PL11.0420 / PL11.0430	¹ Halogen Spot Focus 50mm	Black	MR16 (50mm)	12V	Max. 50W	Ø 65mm / 75mm ¹
PL11.0421 / PL11.0431	¹ Halogen Spot Focus 50mm	Black Chrome	MR16 (50mm)	12V	Max. 50W	Ø 65mm / 75mm ¹









White

Black

Chrome

Brushed Aluminium









Gold

Matt Gold

Aluminium

Brass







Matt Chrome


Black Chrome


Cover Plate for Focus tiltable (on request)


PL01.0442 Chrome cover plate 130mm with 75mm hole


PL01.0443 Brushed aluminium cover plate 130mm with 75mm hole

PL01.0445 White cover plate 130mm with 75mm hole














		Inclusive			Exclusive (On Request)		
	NO.	Description	Quantity	Article No.	Description		
Accessories	1.	GX5.3 lamp holder	1	2.01.0455	Bracket with GX5.3 lamp holder		
				2.01.0305	230V GU10/GZ10 lamp holder		
					MR16 LED module		

Round-Oblique 50mm







Fixed



Tiltable






















Product Information	Power	Maximum 50W
	Input Voltage	12V
	Lamp Holder	GX5.3 (included)
	Lamp Type	MR16 (not included)
	Electronic Transformer	not included

^{*} Photometric information is determined by different lamp bulbs chosen.



MR16 (50mm) GX5.3



* Optional lamp bulbs on request
Compatible with most MR16 LED Bulbs

¹ indicates that Halogen Spot Focus is tiltable

		Color				
Article Number	Product Name	Material	Lamp Type	Input Voltage	Power	Cutout Size
PL11.0444 / PL11.0454 ¹	Halogen Spot Focus oblique 50mm	Aluminium	MR16 (50mm)	12V	Max. 50W	Ø 65mm / 75mm ¹
PL11.0445 / PL11.0455 ¹	Halogen Spot Focus oblique 50mm	Brass	MR16 (50mm)	12V	Max. 50W	Ø 65mm / 75mm ¹
PL11.0446 / PL11.0456 ¹	Halogen Spot Focus oblique 50mm	Chrome	MR16 (50mm)	12V	Max. 50W	Ø 65mm / 75mm ¹
PL11.0447 / PL11.0457	Halogen Spot Focus oblique 50mm	Brushed Aluminium	MR16 (50mm)	12V	Max. 50W	Ø 65mm / 75mm ¹
PL11.0448 / PL11.0458 ¹	Halogen Spot Focus oblique 50mm	Gold	MR16 (50mm)	12V	Max. 50W	Ø 65mm / 75mm ¹
PL11.0449 / PL11.0459 ¹	Halogen Spot Focus oblique 50mm	Matt Chrome	MR16 (50mm)	12V	Max. 50W	Ø 65mm / 75mm ¹
PL11.0450 / PL11.0460 ¹	Halogen Spot Focus oblique 50mm	Matt Gold	MR16 (50mm)	12V	Max. 50W	Ø 65mm / 75mm ¹
PL11.0451 / PL11.0461 ¹	Halogen Spot Focus oblique 50mm	White	MR16 (50mm)	12V	Max. 50W	Ø 65mm / 75mm ¹
PL11.0452 / PL11.0462	Halogen Spot Focus oblique 50mm	Black	MR16 (50mm)	12V	Max. 50W	Ø 65mm / 75mm ¹
PL11.0453 / PL11.04631	Halogen Spot Focus oblique 50mm	Black Chrome	MR16 (50mm)	12V	Max. 50W	Ø 65mm / 75mm ¹









White

Black

Chrome

Brushed Aluminium









Gold

Matt Gold

Aluminium

Brass







Cover Plate for Focus tiltable (on request)


PL01.0442 Chrome cover plate 130mm with 75mm hole


PL01.0443 Brushed aluminium cover plate 130mm with 75mm hole


PL01.0445 White cover plate 130mm with 75mm hole

Matt Chrome

Black Chrome








Ø 82








		Inclusive		Exclusive (On Request)			
	NO.	Description	Quantity	Article No.	Description		
Accessories	1.	GX5.3 lamp holder	1	2.01.0455	Bracket with GX5.3 lamp holder		
				2.01.0305	230V GU10/GZ10 lamp holder		
					MR16 LED module		





Round-Oblique 35mm





Fixed



Tiltable






















Product Information	Power	Maximum 35W
	Input Voltage	12V
	Lamp Holder	G4 (included)
	Lamp Type	MR11 (not included)
	Electronic Transformer	not included

 $^{^{}st}$ Photometric information is determined by different lamp bulbs chosen.



MR11 (35mm) GX5.3 * Optional lamp bulbs on request Compatible with most MR11 LED Bulbs

	Inclusive			Exclusive (On Request)		
Accessories	NO.	Description	Quantity	Article No.	Description	
	1.	G4 lamp holder	1	2.01.0455	Bracket with G4 lamp holder	



1	indicates	that	Halogon	Snat	Facus	:	ماطمطانه
	indicales	mai	nalogen	Spoi	rocus	15	illiable

			Color					
Artic	le Number	Product Name	Material	Lamp Type	Input Voltage	Power	Cutout Size	_
PL1	1.0544 / PL11.0548 ¹	Halogen Spot Focus 35m	m Chrome	MR11 (35mm)	12V	Max. 35W	Ø 48mm / 57mm ¹	
PL1	1.0545 / PL11.0549 ¹	Halogen Spot Focus 35m	m Brushed Aluminium	MR11 (35mm)	12V	Max. 35W	Ø 48mm / 57mm ¹	
PL1	1.0546 / PL11.0550 ¹	Halogen Spot Focus 35m	ım White	MR11 (35mm)	12V	Max. 35W	Ø 48mm / 57mm ¹	
PL1	1.0547 / PL11.0551 ¹	Halogen Spot Focus 35m	m Black	MR11 (35mm)	12V	Max. 35W	Ø 48mm / 57mm ¹	
PL1	1.0606 / PL11.0609 ¹	Halogen Spot Focus 35m	ım Aluminium	MR11 (35mm)	12V	Max. 35W	Ø 48mm / 57mm ¹	
PL1	1.0607 / PL11.0610 ¹	Halogen Spot Focus 35m	ım Brass	MR11 (35mm)	12V	Max. 35W	Ø 48mm / 57mm ¹	
PL1	1.0608 / PL11.0611 ¹	Halogen Spot Focus 35m	ım Gold	MR11 (35mm)	12V	Max. 35W	Ø 48mm / 57mm ¹	


Size



Size

Ø64

Square 50mm





Fixed



Tiltable






















Product Information	Power	Maximum 50W
	Input Voltage	12V
	Lamp Holder	GX5.3 (included)
	Lamp Type	MR16 (not included)
	Electronic Transformer	not included

 $^{^{}st}$ Photometric information is determined by different lamp bulbs chosen.



MR16 (50mm) GX5.3 * Optional lamp bulbs on request



Compatible with most MR16 LED Bulbs

		Inclusive			Exclusive (On Request)		
	NO.	Description	Quantity	Article No.	Description		
Accessories	1.	GX5.3 lamp holder	1	2.01.0455	Bracket with GX5.3 lamp holder		
				2.01.0305	230V GU10/GZ10 lamp holder		
					MR16 LED module		









White

Black

Chrome

Brushed Aluminium








Cover Plate for Focus tiltable (on request)


PL01.0442 Chrome cover plate 130mm with 75mm hole


PL01.0443 Brushed aluminium cover plate 130mm with 75mm hole

PL01.0445 White cover plate 130mm with 75mm hole














¹ indicates that Halogen Spot Focus is tiltable

			Color				
	Article Number	Product Name	Material	Lamp Type	nput Voltage	Power	Cutout Size
]	PL11.0432 / PL11.0438 ¹	Halogen Spot Focus square 50mm	Aluminium	MR16 (50mm)	12V	Max. 50W	Ø 64mm / 75mm ¹
]	PL11.0433 / PL11.0439 ¹	Halogen Spot Focus square 50mm	Chrome	MR16 (50mm)	12V	Max. 50W	Ø 64mm / 75mm ¹
]	PL11.0434 / PL11.0440 ¹	Halogen Spot Focus square 50mm	Brushed Aluminium	MR16 (50mm)	12V	Max. 50W	Ø 64mm / 75mm ¹
]	PL11.0435 / PL11.0441 ¹	Halogen Spot Focus square 50mm	Gold	MR16 (50mm)	12V	Max. 50W	Ø 64mm / 75mm ¹
]	PL11.0436 / PL11.0442 ¹	Halogen Spot Focus square 50mm	White	MR16 (50mm)	12V	Max. 50W	Ø 64mm / 75mm ¹
]	PL11.0437 / PL11.0443 ¹	Halogen Spot Focus square 50mm	Black	MR16 (50mm)	12V	Max. 50W	Ø 64mm / 75mm ¹

Round IP65
























	D	Maximum 50W
	Power	Maximom 5044
Product Information	Input Voltage	12V
	Lamp Holder	GX5.3 (included)
	Lamp Type	MR16 (not included)
	Electronic Transformer	not included

 $[\]ensuremath{^{*}}$ Photometric information is determined by different lamp bulbs chosen.





		Inclusive		Exclusive (On Request)		
Accessories	NO.	Description	Quantity	Article No.	Description	
	1.	GX5.3 lamp holder	1	see page 198	MR16 LED module	











Chrome Aluminium





Ø80





33.5

6.5

Solver

*Halogen Spot Light

Tiltable Round

























	Power	Maximum 50W
	1 OWCI	
	Input Voltage	12V
Product Information	Lamp Holder	GX5.3 (included)
	Lamp Type	MR16 (not included)
	Electronic Transformer	not included

^{*} Photometric information is determined by different lamp bulbs chosen.



MR16 (50mm) GX5.3




* Optional lamp bulbs on request
Compatible with most MR16 LED Bulbs

		Inclusive			Exclusive (On Request)
	NO.	Description	Quantity	Article No.	Description
Accessories	1.	GX5.3 lamp holder	1	2.01.0455	Bracket with GX5.3 lamp holder
				2.01.0305	230V GU10/GZ10 lamp holder
					MR16 LED module














Smooth *Halogen Spot Light

Fixed Round























	Power	Maximum 50W
	Input Voltage	12V
Product Information	Lamp Holder	GX5.3 (included)
	Lamp Type	MR16 (not included)
	Electronic Transformer	not included


^{*} Photometric information is determined by different lamp bulbs chosen.




MR16 (50mm) GX5.3



* Optional lamp bulbs on request
Compatible with most MR16 LED Bulbs





		Inclusive			Exclusive (On Request)
Accessories	NO.	Description	Quantity	Article No.	Description
Accessories	1.	GX5.3 lamp holder	1		GU10/GZ10 lamp holder with 20cm fiber glass
					MR16 LED module

Article Numl	ber Product Name	Material	Lamp Type	Input Voltage	Power	Cutout Size
PI 11 0469	Halogen Spot Smooth round fixed D-80mm	Aluminium	MR16 (50mm)	12V	Max 50W	Ø 72mm





Smooth Deep *Halogen Spot Light

Fixed Round / MR16 (50mm)






























	Power	Maximum 50W
	Input Voltage	12V
Product Information	Lamp Holder	GX5.3 (included)
	Lamp Type	MR16 (not included)
	Electronic Transformer	not included

Photometric information is determined by different lamp bulbs chosen.







Compatible with MR16 LED Bulbs

		Inclusive			Exclusive (On Request)
Accessories	NO.	Description	Quantity	Article No.	Description
Accessories	1.	GX5.3 lamp holder	1		GU10/GZ10 lamp holder with 20cm fiber glass
					MR16 LED module

Article Numbe	Product Name	Material	Lamp Type	Input Voltage	Power	Cutout Size
PL11.0486	Halogen Spot Smooth round fixed deepens	Aluminium	MR16 (50mm)	12V	Max 50W	Ø 70mm

Smooth *Halogen Spot Light



Tiltable Round

























	Power	Maximum 50W
	Input Voltage	12V
Product Information	Lamp Holder	GX5.3 (included)
	Lamp Type	MR16 (not included)
	Electronic Transformer	not included

^{*} Photometric information is determined by different lamp bulbs chosen.








* Optional lamp bulbs on request
Compatible with most MR16 LED Bulbs


		Inclusive		Exclusive (On Request)			
Accessories	NO.	Description	Quantity	Article No.	Description		
Accessories	1.	GX5.3 lamp holder	1		GU10/GZ10 lamp holder with 20cm fiber glass		
					MR16 LED module		












		Color				
Article Number	r Product Name	Material	Lamp Type	Input Voltage	Power	Cutout Size
PL11.0394	Halogen Spot Smooth round tiltable D:80mm	Aluminium	MR16 (50mm)	12V	Max. 50W	Ø 70mm
PL11.0721	Halogen Spot Smooth round tiltable D:80mm	White	MR16 (50mm)	12V	Max. 50W	Ø 70mm

Smooth *Halogen Spot Light

Fixed / Versatile Square
























	Power	Maximum 50W
	1 OWCI	
	Input Voltage	12V
Product Information	Lamp Holder	GX5.3 (included)
momanon	Lamp Type	MR16 (not included)
	Electronic Transformer	not included










* Optional lamp bulbs on request
Compatible with most MR16 LED Bulbs

	Inclusive			Exclusive (On Request)		
Accessories	NO.	Description	Quantity	Article No.	Description	
Accessories	1.	GX5.3 lamp holder	1		GU10/GZ10 lamp holder with 20cm fiber glass	
					MR16 LED module	





Article Numb	er Product Name	Material	Lamp Type	Input Voltage	Power	Cutout Size
PL11.0468	Halogen Spot Smooth square 1-lamp fixed	Aluminium	MR16 (50mm)	12V	Max. 50W	Ø 70mm
PL11.0392	Halogen Spot Smooth rectangle 2-lamp versatile	Aluminium	MR16 (50mm)	12V	Max. 100W	82*165mm
PL11.0393	Halogen Spot Smooth rectangle 3-lamp versatile	Aluminium	MR16 (50mm)	12V	Max. 150W	82*245mm

Old Smooth

*Halogen Spot Light

Versatile





























	Power	Maximum 50W
	Input Voltage	12V
Product Information	Lamp Holder	GX5.3 (included)
information	Lamp Type	MR16 (not included)
	Electronic Transformer	not included

 $[\]ensuremath{^{*}}$ Photometric information is determined by different lamp bulbs chosen.









* Optional lamp bulbs on request
Compatible with most MR16 LED Bulbs

		Inclusive			Exclusive (On Request)
Accessories	NO.	Description	Quantity	Article No.	Description
Accessories	1.	GX5.3 lamp holder	1		GU10/GZ10 lamp holder with 20cm fiber glass
					MR16 LED module









		Color					
Article Numbe	er Product Name	Material	Lamp Type	Input Voltage	Power	Cutout Size	_
PL11.0613	Halogen Spot Old Smooth round versatile	Aluminium	MR16 (50mm)	12V	Max. 50W	Ø 82mm	
PL11.0722	Halogen Spot Old Smooth round versatile	White	MR16 (50mm)	12V	Max. 50W	Ø 82mm	
PL11.0612	Halogen Spot Old Smooth square versatile	Aluminium	MR16 (50mm)	12V	Max. 50W	Ø 82mm	
PL11.0723	Halogen Spot Old Smooth square versatile	White	MR16 (50mm)	12V	Max. 50W	Ø 82mm	

square

Cutout

Size

Tondo

*Halogen Banana Spot

Round



























	Power	Maximum 50W
	Input Voltage	12V
Product Information	Lamp Holder	GX5.3 (included)
mormanon	Lamp Type	MR16 (not included)
	Electronic Transformer	not included

^{*} Photometric information is determined by different lamp bulbs chosen.



MR16 (50mm) GX5.3



* Optional lamp bulbs on request
Compatible with most MR16 LED Bulbs

		Inclusive			Exclusive (On Request)
Accessories	NO.	Description	Quantity	Article No.	Description
	1.	GX5.3 lamp holder	1		MR16 lamp bulbs (halogen/LED)







Aluminium brushed

Chrome









Gold

White

Silver Grey









Ø50

Ø 110

50

Black






		Color				
Article Number	Product Name	Material	Lamp Type	Input Voltage	Power	Cutout Size
PL11.0292	Halogen Banana spot Tondo	Chrome	MR16 (50mm)	12V	Max. 50W	Ø 97mm
PL11.0293	Halogen Banana spot Tondo	Aluminium	MR16 (50mm)	12V	Max. 50W	Ø 97mm
PL11.0294	Halogen Banana spot Tondo	Gold	MR16 (50mm)	12V	Max. 50W	Ø 97mm
PL11.0295	Halogen Banana spot Tondo	Silver Grey	MR16 (50mm)	12V	Max. 50W	Ø 97mm
PL11.0296	Halogen Banana spot Tondo	White	MR16 (50mm)	12V	Max. 50W	Ø 97mm
PL11.0297	Halogen Banana spot Tondo	Black	MR16 (50mm)	12V	Max. 50W	Ø 97mm

Fixer

*Halogen Spot Light

Tiltable Round

























	Power	Maximum 50W
	1 OWCI	
	Input Voltage	12V
Product Information	Lamp Holder	GX5.3 (included)
momanon	Lamp Type	MR16 (not included)
	Electronic Transformer	not included









	Inclusive			Exclusive (On Request)		
A	NO.	Description	Quantity	Article No.	Description	
Accessories	1.	GX5.3 lamp holder	1		GU10/GZ10 lamp holder with 20cm fiber glass	
					MR16 LED module	








Ø50






Autiala Numban	Draduat Nama	Color Material	Lama Tuna	In must Waltons	Dawas	Cutaut Siaa
Article Number	Product Name	Material	Lamp Type	Input Voltage	Power	Cutout Size
PL11.0071	Halogen Spot Fixer tiltable D:125mm	Chrome	MR16 (50mm)	12V	Max. 50W	Ø 70-115mm
PL11.0073	Halogen Spot Fixer tiltable D:125mm	White	MR16 (50mm)	12V	Max. 50W	Ø 70-115mm
PL11.0075	Halogen Spot Fixer tiltable D:140mm	Chrome	MR16 (50mm)	12V	Max. 50W	Ø 85-130mm
PL11.0077	Halogen Spot Fixer tiltable D:140mm	White	MR16 (50mm)	12V	Max. 50W	Ø 85-130mm
PL11.0079	Halogen Spot Fixer tiltable D:165mm	Chrome	MR16 (50mm)	12V	Max. 50W	Ø 110-155mm
PL11.0081	Halogen Spot Fixer tiltable D:165mm	White	MR16 (50mm)	12V	Max. 50W	Ø 110-155mm



Squadra *Halogen Spot Light

Versatile Square 1-Lamp & 2-Lamp

*Compatible with most MR16 LED Bulbs



























Product Information	Power	Maximum 50W
	Input Voltage	12V
	Lamp Holder	GX5.3 (included)
	Lamp Type	MR16 (not included)
	Electronic Transformer	not included

^{*} Photometric information is determined by different lamp bulbs chosen.




MR16 (50mm) GX5.3 * Optional lamp bulbs on request



Compatible with most MR16 LED Bulbs








Ωn	Request)	

2-Lamp

		Inclusive			Exclusive (On Request)		
Accessories	NO.	Description	Quantity	Article No.	Description		
Accessories	1.	GX5.3 lamp holder	1		GU10/GZ10 lamp holder with 20cm fiber glass		
					MR16 LED module		

Article Numl	per Product Name	Material	Lamp Type	Input Voltage	Power	Cutout Size
PL11.0285	Halogen Spot Squadra 1-lamp versatile 10 x 10cm	Aluminium	MR16 (50mm)	12V	Max. 50W	Ø 90mm
PL11.0286	Halogen Spot Squadra 2-lamp versatile 10 x 20cm	Aluminium	MR16 (50mm)	12V	Max. 50W	R45*100mm



1-Lamp

2-Lamp

*Halogen Spot Light

Versatile Square 1-Lamp & 2-Lamp

*Compatible with most MR16 LED Bulbs



























MR16 (50mm) GX5.3 * Optional lamp bulbs on request



Compatible with most MR16 LED Bulbs

Product Information	Power	Maximum 50W/100W
	Input Voltage	12V
	Lamp Holder	GX5.3(included)
	Lamp Type	MR16 (not included)
	Electronic Transformer	not included

 $^{^{\}ast}$ Photometric information is determined by different lamp bulbs chosen.

50	
	116
116	

1-Lamp

	116
204	•

2-Lamp

	Inclusive			Exclusive (On Request)		
A	NO.	Description	Quantity	Article No.	Description	
Accessories	1.	GX5.3 lamp holder (mounted)	1 or 2		MR16 LED module	
	2.	GU10/GZ10 lamp holder	1 or 2			

Article Numbe	r Product Name	Color	Lamp Type	Input Voltage	Power	Cutout Size
PL11.0564	Halogen Spot Asta MR16 versatile 1-lamp	Grey	MR16 (50mm)	12V	Max. 50W	91*100mm
PL11.0565	Halogen Spot Asta MR16 versatile 2-lamp	Grey	MR16 (50mm)	12V	Max. 100W	180*100mm
PL11.0568	Halogen Spot Asta MR16 versatile 1-lamp	White	MR16 (50mm)	12V	Max. 50W	91*100mm
PL11.0569	Halogen Spot Asta MR16 versatile 2-lamp	White	MR16 (50mm)	12V	Max. 100W	180*100mm



Accent **Halogen Cabinet Spot**

Cutout Size Ø 55mm

Fixed Round / JCG4





















	Power	10W	20W
	Electronic Transformer	not included	not included
	Input Current	0.83A	1.67A
Product Information	Lamp Holder	G4	G4
	Lamp Type	JC G4 10W (included)	JC G4 20W (included)
	Lumen Output	105 lm	270 lm
	сст	2800K	2800K
	CRI	100Ra8	100Ra8
	Efficacy	10.5 lm/W	13.5 lm/W



Accessories		Inclusive		
	NO.	Description	Quantity	
	1.	JC G4 lamp bulb	1	
	2	AMP cable (15cm/200cm)	1	










Brushed Aluminium

White

Black







Article Number	Product Name	Color Material	Power	Lamp	Voltage	Lumen Output	ССТ	Cable Length	Cutout Size
PL12.0206	Halogen Cabinet Spot Accent	Chrome	10W	JC G4	12V	105lm	2800K	AMP 15cm	Ø 55mm
PL12.0210	Halogen Cabinet Spot Accent	Chrome	10W	JC G4	12V	105lm	2800K	AMP 200cm	Ø 55mm
PL12.0207	Halogen Cabinet Spot Accent	Brushed alu.	10W	JC G4	12V	105lm	2800K	AMP 15cm	Ø 55mm
PL12.0211	Halogen Cabinet Spot Accent	Brushed alu.	10W	JC G4	12V	105lm	2800K	AMP 200cm	Ø 55mm
PL12.0208	Halogen Cabinet Spot Accent	White	10W	JC G4	12V	105lm	2800K	AMP 15cm	Ø 55mm
PL12.0212	Halogen Cabinet Spot Accent	White	10W	JC G4	12V	105lm	2800K	AMP 200cm	Ø 55mm
PL12.0209	Halogen Cabinet Spot Accent	Black	10W	JC G4	12V	105lm	2800K	AMP 15cm	Ø 55mm
PL12.0213	Halogen Cabinet Spot Accent	Black	10W	JC G4	12V	105lm	2800K	AMP 200cm	Ø 55mm
PL12.0214	Halogen Cabinet Spot Accent	Chrome	20W	JC G4	12V	270lm	2800K	AMP 15cm	Ø 55mm
PL12.0218	Halogen Cabinet Spot Accent	Chrome	20W	JC G4	12V	270lm	2800K	AMP 200cm	Ø 55mm
PL12.0215	Halogen Cabinet Spot Accent	Brushed alu.	20W	JC G4	12V	270lm	2800K	AMP 15cm	Ø 55mm
PL12.0219	Halogen Cabinet Spot Accent	Brushed alu.	20W	JC G4	12V	270lm	2800K	AMP 200cm	Ø 55mm
PL12.0216	Halogen Cabinet Spot Accent	White	20W	JC G4	12V	270lm	2800K	AMP 15cm	Ø 55mm
PL12.0220	Halogen Cabinet Spot Accent	White	20W	JC G4	12V	270lm	2800K	AMP 200cm	Ø 55mm
PL12.0217	Halogen Cabinet Spot Accent	Black	20W	JC G4	12V	270lm	2800K	AMP 15cm	Ø 55mm
PL12.0221	Halogen Cabinet Spot Accent	Black	20W	JC G4	12V	270lm	2800K	AMP 200cm	Ø 55mm